## DECLARATION OF PERFORMANCE No. 1611290698.

### 1. Unique identification code of the product-type Hot rolled products of structural steels.

2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4) of the CPR: EN10025-2 S235JR (1.0038) P/O SALZ GITTER # HR 1611290698.

3. Intended use or uses of the construction product, in accordance with the applicable

harmonized technical specification, as foreseen by the manufacturer:

The steels are intended for use in welded, bolted and riveted structures.

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

# SHANG CHEN STEEL CO., LTD. No.7, DaYe S.Rd., SiaoGang District, Kaohsiung City 81261,Taiwan(R.O.C.) Tel : 886-7-8716911 Fax : 886-7-8714153 Email : <u>05803@sssteel.com.tw</u>

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

N/A

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V:

#### System 2+

7. In case of the declaration of performance concerning a construction product covered by a harmonized standard:

EN10025-1:2004 Hot rolled products of structural steels. Notified Body - TÜV Rheinland LGA Bautechnik GmbH(Identification No. 0780) performed the initial inspection of the manufacturing plant and of factory production control and the continuous surveillance, assessment and evaluation of factory production control, and issued the certificate (No. 0780-CPR-132075) of constancy of conformity of the factory production control.

8. European Technical Assessment:

N/A

## DECLARATION OF PERFORMANCE No. 1611290698.

9. Declared performance

Essential characteristics	Performance	Harmonised technical specification
<b>Tolerances on dimensions</b>	Pass	EN 10025-1:2004 Hot rolled products of structural steels.
Elongation (T)	pass	
Tensile strength (T)	pass	
Yield strength(T)	pass	
Impact strength (KV <sub>8</sub> 20°C)	pass	
Weldability	pass	
Durability	magg	
(Chemical composition)	pass	
Dangerous substances	None	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by: Management representative of

Factory Production control

(name and function)

10.Mar.2017

(place and date of issue)

Kuo Peng Chy (signature)